

ELEVATION CERTIFICATE

OMB No. 1660-0008
Expires March 31, 2012

Important: Read the instructions on pages 1-9.

SECTION A - PROPERTY INFORMATION

A1. Building Owner's Name Anthony A. Flemming		For Insurance Company Use: Policy Number
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 714A Road 3000 (structure 2)		Company NAIC Number
City Farmington State NM ZIP Code 87412		
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Book 1441, Page 621 as recorded in the Office of the San Juan County Clerk		
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) <u>residential</u>		
A5. Latitude/Longitude: Lat. <u>36°46'33.17508"N</u> Long. <u>108°06'33.96383"W</u>		Horizontal Datum: <input type="checkbox"/> NAD 1927 <input checked="" type="checkbox"/> NAD 1983
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.		
A7. Building Diagram Number <u>1B</u>		
A8. For a building with a crawlspace or enclosure(s):		A9. For a building with an attached garage:
a) Square footage of crawlspace or enclosure(s) <u>n/a</u> sq ft		a) Square footage of attached garage <u>480</u> sq ft
b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade <u>n/a</u>		b) No. of permanent flood openings in the attached garage within 1.0 foot above adjacent grade <u>n/a</u>
c) Total net area of flood openings in A8.b <u>n/a</u> sq in		c) Total net area of flood openings in A9.b <u>n/a</u> sq in
d) Engineered flood openings? <input type="checkbox"/> Yes <input type="checkbox"/> No		d) Engineered flood openings? <input type="checkbox"/> Yes <input type="checkbox"/> No

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP Community Name & Community Number San Juan County and Unincorporated Area		B2. County Name San Juan		B3. State New Mexico	
B4. Map/Panel Number 35045CO715	B5. Suffix F	B6. FIRM Index Date 2010	B7. FIRM Panel Effective/Revised Date	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 5435.1
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. <input checked="" type="checkbox"/> FIS Profile <input type="checkbox"/> FIRM <input type="checkbox"/> Community Determined <input type="checkbox"/> Other (Describe) _____					
B11. Indicate elevation datum used for BFE in Item B9: <input type="checkbox"/> NGVD 1929 <input checked="" type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other (Describe) _____					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Designation Date _____ <input type="checkbox"/> CBRS <input type="checkbox"/> OPA					

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction
*A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. Use the same datum as the BFE.
Benchmark Utilized OPUS Vertical Datum NAVD1988
Conversion/Comments _____

Check the measurement used.

a) Top of bottom floor (including basement, crawlspace, or enclosure floor) <u>5435.70</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
b) Top of the next higher floor <u>n/a</u>	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
c) Bottom of the lowest horizontal structural member (V Zones only) <u>n/a</u>	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
d) Attached garage (top of slab) <u>5435.57</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) <u>n/a</u>	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
f) Lowest adjacent (finished) grade next to building (LAG) <u>5434.55</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
g) Highest adjacent (finished) grade next to building (HAG) <u>5435.50</u>	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support <u>n/a</u>	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a licensed land surveyor? Yes No

Certifier's Name Scott Andrae	License Number 9625
Title Owner	Company Name Intermountain Mapping Service, LLC
Address 1875 Highway 170	City La Plata State NM ZIP Code 87418
Signature	Date Telephone 505-325-5244



IMPORTANT: In these spaces, copy the corresponding information from Section A.	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 714A Road 3000 (Structure 2)	Policy Number
City Farmington State NM ZIP Code 87412	Company NAIC Number

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments When the structure was built in 2006, it would have been above the base flood elevation. In the 2010 mapping, the base flood elevation in this area was changed significantly. So when constructed, this building met current standards.

Signature	Date	<input type="checkbox"/> Check here if attachments
-----------	------	--

SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

- E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).
 a) Top of bottom floor (including basement, crawlspace, or enclosure) is _____. feet meters above or below the HAG.
 b) Top of bottom floor (including basement, crawlspace, or enclosure) is _____. feet meters above or below the LAG.
- E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is _____. feet meters above or below the HAG.
- E3. Attached garage (top of slab) is _____. feet meters above or below the HAG.
- E4. Top of platform of machinery and/or equipment servicing the building is _____. feet meters above or below the HAG.
- E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G.

SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. *The statements in Sections A, B, and E are correct to the best of my knowledge.*

Property Owner's or Owner's Authorized Representative's Name			
Address	City	State	ZIP Code
Signature	Date	Telephone	
Comments			

Check here if attachments

SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.

- G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3. The following information (Items G4-G9) is provided for community floodplain management purposes.

G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate Of Compliance/Occupancy Issued
-------------------	------------------------	---

- G7. This permit has been issued for: New Construction Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building: _____. feet meters (PR) Datum _____
- G9. BFE or (in Zone AO) depth of flooding at the building site: _____. feet meters (PR) Datum _____
- G10. Community's design flood elevation _____ feet meters (PR) Datum _____

Local Official's Name	Title
Community Name	Telephone
Signature	Date
Comments	

Check here if attachments

Building Photographs

See Instructions for Item A6.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 714A Road 3000 (structure 2)	For Insurance Company Use: Policy Number
City Farmington State NM ZIP Code 87418	Company NAIC Number
If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.	

Front of structure 2 looking East



Building Photographs

Continuation Page


Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 714A Road 3000 (structure 2)	For Insurance Company Use: Policy Number
City Farmington State NM ZIP Code 87418	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."

Back of stucture 2 looking West



Map



San Juan County Addresses



San Juan County Addresses



Aztec Addresses



Bloomfield Addresses



Farmington Addresses



Panels



Fema Cross Sections



Base Flood Elevation



Flood Hazard Area Zones





Rivers



Lakes




SJC Road Status (continued)



City Roads










Aztec City Limits




Bloomfield City Limits




 Fema Annual Flood	SJC Road Status  County Maintained  City  Highway	 Farmington City Limits  SJC County Boundary 
--	--	--

Copyright


FloodPlain_Map
Aztec City Limits: San Juan County GIS & Community Development
Bloomfield City Limits: San Juan County New Mexico
Farmington City Limits: San Juan County, New Mexico
Aztec City Limits: San Juan County GIS & Community Development
Bloomfield City Limits: San Juan County New Mexico
Farmington City Limits: San Juan County, New Mexico



0 100 ft US



MAP SCALE 1" = 1000'



NATIONAL FLOOD INSURANCE PROGRAM


PANEL 0715F

FIRM
FLOOD INSURANCE RATE MAP
SAN JUAN COUNTY,
NEW MEXICO
AND INCORPORATED AREAS

PANEL 715 OF 2750
 (SEE MAP INDEX FOR FIRM PANEL LAYOUT)


CONTAINS:	NUMBER	PANEL	SUFFIX
COMMUNITY:	350067	0715	F
FARMINGTON, CITY OF	350064	0715	F
SAN JUAN COUNTY			

Notice to User: The Map Number shown below should be used when ordering maps. The Community Number and Panel Number above should be used on insurance applications for the subject community.

 **MAP NUMBER**
35045C0715F

EFFECTIVE DATE
AUGUST 5, 2010

Federal Emergency Management Agency



This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT On-Line. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. For the latest product information about National Flood Insurance Program flood maps check the FEMA Flood Map Store at www.msc.fema.gov

Scott W Andrae <scottandrae@wildblue.net>

OPUS-RS solution : 59351960.DAT 000286940

1 message

opus <opus@ngs.noaa.gov>

Fri, Jul 15, 2011 at 5:37 PM

Reply-To: ngs.opus@noaa.govTo: scottandrae@wildblue.net

FILE: 59351960.DAT 000286940

2005 NOTE: The IGS precise and IGS rapid orbits were not available
 2005 at processing time. The IGS ultra-rapid orbit was/will be used to
 2005 process the data.

2005

6030 ***** WARNING *****

6030 One or both of the standard deviations associated with
 6030 horizontal coordinates is greater than 5 cm, and/or the
 6030 standard deviation associated with the vertical coordinate
 6030 is greater than 10 cm. This means that the vectors used to
 6030 determine your position did not agree as well as expected.
 6030 Often this is the result of problems with the adopted coordinates
 6030 at one or more of the reference stations selected by OPUS-RS.
 6030 If a problem reference station can be identified, it can
 6030 be excluded with the Exclude feature on the OPUS Options
 6030 page.

6030

NGS OPUS-RS SOLUTION REPORT

=====

USER: scottandrae@wildblue.net
 RINEX FILE: 5935196p.11o

DATE: July 15, 2011
 TIME: 23:37:49 UTC

SOFTWARE: rsgps 1.35.1 RS41.prl 1.71 START: 2011/07/15 15:36:20
 EPHEMERIS: igu16445.eph [ultra-rapid] STOP: 2011/07/15 16:01:35
 NAV FILE: brdc1960.11n OBS USED: 2178 / 2295 : 95%
 ANT NAME: TRM5800 QUALITY IND. 7.62/ 26.44
 ARP HEIGHT: 2.072 NORMALIZED RMS: 0.323

REF FRAME: NAD_83(CORS96)(EPOCH:2002.0000) ITRF00 (EPOCH:2011.53605)

X:	-1590292.544(m)	0.035(m)	-1590293.305(m)	0.035(m)
Y:	-4862798.168(m)	0.119(m)	-4862796.836(m)	0.119(m)
Z:	3798479.292(m)	0.101(m)	3798479.171(m)	0.101(m)

LAT:	36 46 33.15824	0.011(m)	36 46 33.17508	0.011(m)
E LON:	251 53 26.08202	0.014(m)	251 53 26.03617	0.014(m)
W LON:	108 6 33.91798	0.014(m)	108 6 33.96383	0.014(m)
EL HGT:	1635.465(m)	0.159(m)	1634.568(m)	0.159(m)
ORTHO HGT:	1656.517(m)	0.160(m)	[NAVD88 (Computed using GEOID09)]	

UTM COORDINATES STATE PLANE COORDINATES
 UTM (Zone 12) SPC (3003 NM W)

Northing (Y) [meters]	4073908.017	640646.672
Easting (X) [meters]	757976.446	805355.003
Convergence [degrees]	1.73150466	-0.16529116
Point Scale	1.00041998	0.99992415
Combined Factor	1.00016328	0.99966757

US NATIONAL GRID DESIGNATOR: 12SYF5797673908(NAD 83)

BASE STATIONS USED

PID	DESIGNATION	LATITUDE	LONGITUDE	DISTANCE(m)
DI2245	P011 SPIDERROCKAZ2005 CORS ARP	N360859.363	W1093109.175	144235.6
DL3642	MC09 NUCLA CORS ARP	N381435.613	W1083329.283	167659.2
DI0438	NMGR GRANTS NMDOT CORS ARP	N351259.649	W1075548.368	173817.9
DI3419	P012 MONTICELLOUT2006 CORS ARP	N380550.740	W1092001.762	182397.8
DL3585	MC10 MONTROSE CORS ARP	N382720.136	W1075242.394	187586.3
DH6918	MC05 MESA CNTY 05 COOP CORS ARP	N384422.383	W1080422.684	218018.8
DH6916	MC04 MESA CNTY 04 COOP CORS ARP	N384102.974	W1085825.824	225132.3
DF4369	NMSF SANTA FE CORS ARP	N354025.623	W1055730.931	228844.4
DJ8977	ABQ5 ALBUQUERQUE 5 CORS ARP	N345726.546	W1062940.037	249011.7

NEAREST NGS PUBLISHED CONTROL POINT

GO0019	377	N364637.	W1080707.	827.9
--------	-----	----------	-----------	-------

This position and the above vector components were computed without any knowledge by the National Geodetic Survey regarding the equipment or field operating procedures used.
