

# ELEVATION CERTIFICATE

OMB No. 1660-0008  
Expires March 31, 2012

Important: Read the instructions on pages 1-9.

## SECTION A - PROPERTY INFORMATION

A1. Building Owner's Name Tammy Taylor, aka. Tammara Wilson		For Insurance Company Use: Policy Number
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 27 Road 3540		Company NAIC Number

City Flora Vista State NM ZIP Code 87415

A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)

A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential

A5. Latitude/Longitude: Lat. 36°48'31.08054"N Long. 108°05'11.80511"W Horizontal Datum:  NAD 1927  NAD 1983

A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.

A7. Building Diagram Number 1

A8. For a building with a crawlspace or enclosure(s):

a) Square footage of crawlspace or enclosure(s) n/a sq ft

b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade n/a

c) Total net area of flood openings in A8.b n/a sq in

d) Engineered flood openings?  Yes  No

A9. For a building with an attached garage:

a) Square footage of attached garage n/a sq ft

b) No. of permanent flood openings in the attached garage within 1.0 foot above adjacent grade n/a

c) Total net area of flood openings in A9.b n/a sq in

d) Engineered flood openings?  Yes  No

## SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP Community Name & Community Number Unincorporated Areas 35045C0715F		B2. County Name San Juan		B3. State NM	
B4. Map/Panel Number 0715	B5. Suffix F	B6. FIRM Index Date Preliminary 8/28/08	B7. FIRM Panel Effective/Revised Date	B8. Flood Zone(s) A	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) N/A

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.  
 FIS Profile  FIRM  Community Determined  Other (Describe) \_\_\_\_\_

B11. Indicate elevation datum used for BFE in Item B9:  NGVD 1929  NAVD 1988  Other (Describe) \_\_\_\_\_

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
Designation Date \_\_\_\_\_  CBRS  OPA

## SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction  
\*A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. Use the same datum as the BFE.  
Benchmark Utilized opus Vertical Datum NAVD88  
Conversion/Comments \_\_\_\_\_

Check the measurement used.

a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 5591.94  feet  meters (Puerto Rico only)

b) Top of the next higher floor n/a  feet  meters (Puerto Rico only)

c) Bottom of the lowest horizontal structural member (V Zones only) n/a  feet  meters (Puerto Rico only)

d) Attached garage (top of slab) n/a  feet  meters (Puerto Rico only)

e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) n/a  feet  meters (Puerto Rico only)

f) Lowest adjacent (finished) grade next to building (LAG) 5591.27  feet  meters (Puerto Rico only)

g) Highest adjacent (finished) grade next to building (HAG) 5591.81  feet  meters (Puerto Rico only)

h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support n/a  feet  meters (Puerto Rico only)

## SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a licensed land surveyor?  Yes  No

Certifier's Name Scott Andrae	License Number 9625
Title Owner	Company Name Intermountain Mapping Serices, LLC
Address 1875 Hwy 170	City La Plata State NM ZIP Code 87418
Signature	Date 11/04/10 Telephone 505-325-5244

PLACE SEAL HERE

<b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 2525 Glade Road	Policy Number
City FarmingtonState NM ZIP Code 87410	Company NAIC Number

**SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)**

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments A 5/8' rebar with cap was set as a benchmark. Elevation is 5591.109'. Elevation was deterined using OPUS and GEOID09

Signature	Date 11/04/10	<input checked="" type="checkbox"/> Check here if attachments
-----------	---------------	---

**SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

- E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).  
 a) Top of bottom floor (including basement, crawlspace, or enclosure) is \_\_\_\_\_.  feet  meters  above or  below the HAG.  
 b) Top of bottom floor (including basement, crawlspace, or enclosure) is \_\_\_\_\_.  feet  meters  above or  below the HAG.
- E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is \_\_\_\_\_.  feet  meters  above or  below the HAG.
- E3. Attached garage (top of slab) is \_\_\_\_\_.  feet  meters  above or  below the HAG.
- E4. Top of platform of machinery and/or equipment servicing the building is \_\_\_\_\_.  feet  meters  above or  below the HAG.
- E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. *The statements in Sections A, B, and E are correct to the best of my knowledge.*

Property Owner's or Owner's Authorized Representative's Name			
Address	City	State	ZIP Code
Signature	Date	Telephone	
Comments			

Check here if attachments

**SECTION G - COMMUNITY INFORMATION (OPTIONAL)**

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.

- G1.  The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4-G9) is provided for community floodplain management purposes.

G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate Of Compliance/Occupancy Issued
-------------------	------------------------	---

- G7. This permit has been issued for:  New Construction  Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building: \_\_\_\_\_.  feet  meters (PR) Datum \_\_\_\_\_
- G9. BFE or (in Zone AO) depth of flooding at the building site: \_\_\_\_\_.  feet  meters (PR) Datum \_\_\_\_\_
- G10. Community's design flood elevation: \_\_\_\_\_.  feet  meters (PR) Datum \_\_\_\_\_

Local Official's Name	Title
Community Name	Telephone
Signature	Date
Comments	

Check here if attachments

# Building Photographs

See Instructions for Item A6.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 27 Road 3540	For Insurance Company Use: Policy Number
City Flora Vista State NM ZIP Code 87415	Company NAIC Number
If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.	

Back of House looking Southeast



# Building Photographs

Continuation Page

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 27 Road 3540	For Insurance Company Use: Policy Number
City Flora Vista State NM ZIP Code 87415	Company NAIC Number
If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."	

Looking East





Scott W Andrae &lt;scottandrae@wildblue.net&gt;

## OPUS-RS solution : 59352920.DAT 000155058

1 message

opus &lt;opus@ngs.noaa.gov&gt;

Wed, Oct 20, 2010 at 10:23 AM

Reply-To: ngs.opus@noaa.gov

To: scottandrae@wildblue.net

FILE: 59352920.DAT 000155058

2005 NOTE: The IGS precise and IGS rapid orbits were not available  
 2005 at processing time. The IGS ultra-rapid orbit was/will be used to  
 2005 process the data.  
 2005

### NGS OPUS-RS SOLUTION REPORT

=====

USER: [scottandrae@wildblue.net](mailto:scottandrae@wildblue.net)

DATE: October 20, 2010

RINEX FILE: 5935292r.10o

TIME: 16:23:43 UTC

SOFTWARE: rsgps 1.35.1 RS29.prl 1.62      START: 2010/10/19 17:48:25  
 EPHEMERIS: igu16062.eph [ultra-rapid]      STOP: 2010/10/19 18:08:25  
 NAV FILE: brdc2920.10n      OBS USED: 2439 / 2583 : 94%  
 ANT NAME: TRM5800      QUALITY IND. 21.35/ 24.65  
 ARP HEIGHT: 2.072      NORMALIZED RMS: 0.289

REF FRAME: NAD\_83(CORS96)(EPOCH:2002.0000)

ITRF00 (EPOCH:2010.79931)

X:	-1590818.784(m)	0.014(m)	-1590819.537(m)	0.014(m)
Y:	-4868600.523(m)	0.019(m)	-4868599.190(m)	0.019(m)
Z:	3790819.340(m)	0.013(m)	3790819.223(m)	0.013(m)

LAT:	36 41 23.90897	0.007(m)	36 41 23.92595	0.007(m)
E LON:	251 54 18.57090	0.009(m)	251 54 18.52540	0.009(m)
W LON:	108 5 41.42910	0.009(m)	108 5 41.47460	0.009(m)
EL HGT:	1605.226(m)	0.024(m)	1604.328(m)	0.024(m)
ORTHO HGT:	1626.405(m)	0.029(m)	[NAVD88 (Computed using GEOID09)]	

### UTM COORDINATES      STATE PLANE COORDINATES

	UTM (Zone 12)	SPC (3003 NM W)
Northing (Y) [meters]	4064414.925	631110.946
Easting (X) [meters]	759567.342	806630.489
Convergence [degrees]	1.73675767	-0.15624782
Point Scale	1.00043014	0.99992339
Combined Factor	1.00017818	0.99967156

US NATIONAL GRID DESIGNATOR: 12SYF5956764414(NAD 83)

### BASE STATIONS USED

PID	DESIGNATION	LATITUDE	LONGITUDE	DISTANCE(m)
AI0265	AZCN AZTEC CORS ARP	N365023.235	W1075439.422	23373.8
DI2245	P011 SPIDERROCKAZ2005 CORS ARP	N360859.363	W1093109.175	141137.6
DI0438	NMGR GRANTS NMDOT CORS ARP	N351259.649	W1075548.368	164203.2
DI2266	P107 GRANTS____NM2006 CORS ARP	N350755.832	W1075248.029	173977.7

DL3642 MC09 NUCLA CORS ARP                    N381435.613 W1083329.283 177235.8  
DI3419 P012 MONTICELLOUT2006 CORS ARP    N380550.740 W1092001.762 190924.4  
DK7753 P123 TRESPIEDRANM2006 CORS ARP    N363806.598 W1055439.006 195403.7  
DF4369 NMSF SANTA FE CORS ARP            N354025.623 W1055730.931 222853.0  
DH6918 MC05 MESA CNTY 05 COOP CORS ARP    N384422.383 W1080422.684 227536.5

NEAREST NGS PUBLISHED CONTROL POINT

GO0029    Y 69 RESET                    N364205.    W1080527.    1320.0

This position and the above vector components were computed without any knowledge by the National Geodetic Survey regarding the equipment or field operating procedures used.

---