

# ELEVATION CERTIFICATE

**Important:** Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A – PROPERTY INFORMATION		FOR INSURANCE COMPANY USE
A1. Building Owner's Name Ron Maclellan		Policy Number:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 54A Road 2896		Company NAIC Number:
City Aztec	State New Mexico	ZIP Code 87410
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Parcel #2-063-180-010-429 Account R0012858		
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) <u>Residential</u>		
A5. Latitude/Longitude: Lat. <u>36°51'35.17"N</u> Long. <u>107°58'11.12"W</u> Horizontal Datum: <input type="checkbox"/> NAD 1927 <input checked="" type="checkbox"/> NAD 1983		
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.		
A7. Building Diagram Number <u>8</u>		
A8. For a building with a crawlspace or enclosure(s):		
a) Square footage of crawlspace or enclosure(s) <u>2400.00</u> sq ft		
b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade <u>0</u>		
c) Total net area of flood openings in A8.b <u>N/A</u> sq in		
d) Engineered flood openings? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
A9. For a building with an attached garage:		
a) Square footage of attached garage <u>N/A</u> sq ft		
b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade <u>N/A</u>		
c) Total net area of flood openings in A9.b <u>N/A</u> sq in		
d) Engineered flood openings? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		

SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION					
B1. NFIP Community Name & Community Number San Juan County/ 350064			B2. County Name San Juan		B3. State New Mexico
B4. Map/Panel Number 35045C0730	B5. Suffix F	B6. FIRM Index Date 08-05-2010	B7. FIRM Panel Effective/ Revised Date 08-05-2010	B8. Flood Zone(s) A	B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth) 5666.68

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:  
 FIS Profile  FIRM  Community Determined  Other/Source: HEC-RAS

B11. Indicate elevation datum used for BFE in Item B9:  NGVD 1929  NAVD 1988  Other/Source: \_\_\_\_\_

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No  
 Designation Date: \_\_\_\_\_  CBRS  OPA



# ELEVATION CERTIFICATE

OMB No. 1660-0008  
Expiration Date: November 30, 2018

<b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>			<b>FOR INSURANCE COMPANY USE</b>
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 54A Road 2896			Policy Number:
City Aztec	State New Mexico	ZIP Code 87410	Company NAIC Number

**SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED)  
FOR ZONE AO AND ZONE A (WITHOUT BFE)**

For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

- E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).
- a) Top of bottom floor (including basement, crawlspace, or enclosure) is \_\_\_\_\_  feet  meters  above or  below the HAG.
- b) Top of bottom floor (including basement, crawlspace, or enclosure) is \_\_\_\_\_  feet  meters  above or  below the LAG.
- E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1–2 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is \_\_\_\_\_  feet  meters  above or  below the HAG.
- E3. Attached garage (top of slab) is \_\_\_\_\_  feet  meters  above or  below the HAG.
- E4. Top of platform of machinery and/or equipment servicing the building is \_\_\_\_\_  feet  meters  above or  below the HAG.
- E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

**SECTION F – PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION**

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner or Owner's Authorized Representative's Name

Address \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ ZIP Code \_\_\_\_\_

Signature \_\_\_\_\_ Date \_\_\_\_\_ Telephone \_\_\_\_\_

Comments

Check here if attachments.

# ELEVATION CERTIFICATE

OMB No. 1660-0008  
Expiration Date: November 30, 2018

<b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>			<b>FOR INSURANCE COMPANY USE</b>
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 54A Road 2896			Policy Number:
City Aztec	State New Mexico	ZIP Code 87410	Company NAIC Number

## SECTION G – COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.

- G1.  The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4–G10) is provided for community floodplain management purposes.

G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate of Compliance/Occupancy Issued
-------------------	------------------------	---

- G7. This permit has been issued for:       New Construction     Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building: \_\_\_\_\_  feet  meters    Datum \_\_\_\_\_
- G9. BFE or (in Zone AO) depth of flooding at the building site: \_\_\_\_\_  feet  meters    Datum \_\_\_\_\_
- G10. Community's design flood elevation: \_\_\_\_\_  feet  meters    Datum \_\_\_\_\_

Local Official's Name	Title
Community Name	Telephone
Signature	Date

Comments (including type of equipment and location, per C2(e), if applicable)

Check here if attachments.

# BUILDING PHOTOGRAPHS

See Instructions for Item A6.

OMB No. 1660-0008  
Expiration Date: November 30, 2018

## ELEVATION CERTIFICATE

**IMPORTANT: In these spaces, copy the corresponding information from Section A.**

**FOR INSURANCE COMPANY USE**

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.  
54A Road 2896

Policy Number:

City State ZIP Code  
Aztec New Mexico 87410

Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption East side of House (Date Taken 5/25/2017)

Clear Photo One



Photo Two

Photo Two Caption West Side of House (Date Taken 5/25/2017)

Clear Photo Two

# BUILDING PHOTOGRAPHS

## ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008  
Expiration Date: November 30, 2018

<b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>			<b>FOR INSURANCE COMPANY USE</b>
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 54A Road 2896			Policy Number:
City Aztec	State New Mexico	ZIP Code 87410	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption South Side of House (Date Taken 5/25/2017)

Clear Photo Three

Photo Four

Photo Four Caption

Clear Photo Four

2017-252Ron.rep

HEC-RAS Version 4.1.0 Jan 2010  
U.S. Army Corps of Engineers  
Hydrologic Engineering Center  
609 Second Street  
Davis, California

```

X      X  XXXXXX   XXXX      XXXX      XX      XXXX
X      X  X        X   X      X  X      X  X      X
X      X  X        X           X  X      X  X      X
XXXXXXXX XXXX      X           XXX XXXX   XXXXXXX XXXX
X      X  X        X           X  X      X  X          X
X      X  X        X   X      X  X      X  X          X
X      X  XXXXXX   XXXX      X  X      X  X      XXXXXX

```

PROJECT DATA

Project Title: 2017-252Ron  
Project File : 2017-252Ron.prj  
Run Date and Time: 6/5/2017 11:13:12 AM

Project in English units

PLAN DATA

Plan Title: Plan 03  
Plan File : C:\Users\Scott\Documents\2017-252Ron.p03

Geometry Title: Geom 01  
Geometry File : C:\Users\Scott\Documents\2017-252Ron.g01

Flow Title : Flow 01  
Flow File : C:\Users\Scott\Documents\2017-252Ron.f01

Plan Summary Information:

Number of:	Cross Sections =	2	Multiple Openings =	0
	Culverts =	0	Inline Structures =	0
	Bridges =	0	Lateral Structures =	0

Computational Information

Water surface calculation tolerance = 0.01  
Critical depth calculation tolerance = 0.01  
Maximum number of iterations = 20

2017-252Ron.rep  
Maximum difference tolerance = 0.3  
Flow tolerance factor = 0.001

Computation Options

Critical depth computed only where necessary  
Conveyance Calculation Method: At breaks in n values only  
Friction Slope Method: Average Conveyance  
Computational Flow Regime: Subcritical Flow

FLOW DATA

Flow Title: Flow 01  
Flow File : C:\Users\Scott\Documents\2017-252Ron.f01

Flow Data (cfs)

River	Reach	RS	PF 1
Animas River	1	80	20123.74

Boundary Conditions

River	Reach	Profile	Upstream
Downstream			
Animas River Critical	1	PF 1	Critical

GEOMETRY DATA

Geometry Title: Geom 01  
Geometry File : C:\Users\Scott\Documents\2017-252Ron.g01

CROSS SECTION

RIVER: Animas River  
REACH: 1 RS: 80



INPUT

Description:

Station Elevation Data		num= 10							
Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5671.27	509.59	5669.25	669.16	5669.85	845	5669.32	1647.92	5666.16
1895.96	5662.54	2183.6	5660.45	2189	5657.79	2350.48	5658.19	2362.66	5662.16

Manning's n Values		num= 3			
Sta	n Val	Sta	n Val	Sta	n Val
0	.045	2189	.04	2350.48	.045

Bank Sta:	Left	Right	Lengths:	Left Channel	Right	Coeff Contr.	Expan.
	2189	2350.48		170	151	130	.1
							.3

CROSS SECTION OUTPUT Profile #PF 1

E.G. Elev (ft)	5666.68	Element	Left OB	Channel
Right OB				
Vel Head (ft)	1.12	Wt. n-Val.	0.045	0.040
0.045				
W.S. Elev (ft)	5665.56	Reach Len. (ft)	170.00	151.00
130.00				
Crit W.S. (ft)	5664.63	Flow Area (sq ft)	1518.18	1222.97
65.63				
E.G. Slope (ft/ft)	0.004961	Area (sq ft)	1518.18	1222.97
65.63				
Q Total (cfs)	20123.74	Flow (cfs)	7395.56	12340.49
387.69				
Top Width (ft)	673.86	Top Width (ft)	500.20	161.48
12.18				
Vel Total (ft/s)	7.17	Avg. Vel. (ft/s)	4.87	10.09
5.91				
Max Chl Dpth (ft)	7.77	Hydr. Depth (ft)	3.04	7.57
5.39				
Conv. Total (cfs)	285708.1	Conv. (cfs)	104999.0	175204.8
5504.3				
Length Wtd. (ft)	156.70	Wetted Per. (ft)	500.85	161.48
16.21				
Min Ch El (ft)	5657.79	Shear (lb/sq ft)	0.94	2.35
1.25				
Alpha	1.40	Stream Power (lb/ft s)	2362.66	0.00
0.00				
Frctn Loss (ft)	1.02	Cum Volume (acre-ft)	4.81	4.26
0.12				
C & E Loss (ft)	0.07	Cum SA (acres)	1.77	0.61
0.02				

Warning: The cross-section end points had to be extended vertically for the computed water surface.

Warning: The velocity head has changed by more than 0.5 ft (0.15 m). This may indicate the need for additional cross sections.

Warning: The energy loss was greater than 1.0 ft (0.3 m). between the current and previous cross section. This may indicate the need for additional cross sections.

## CROSS SECTION

RIVER: Animas River

REACH: 1

RS: 0

## INPUT

Description:

Station Elevation Data num= 10

Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev	Sta	Elev
0	5671.12	511.41	5669.25	673.77	5669.18	842.38	5668.57	1649.73	5666.17
1923.89	5661.33	2187.75	5660.57	2192.67	5657.13	2385.24	5657.65	2388.02	5660.86

Manning's n Values

num= 3

Sta	n Val	Sta	n Val	Sta	n Val
0	.045	2192.67	.04	2385.24	.045

Bank Sta:	Left	Right	Lengths:	Left	Channel	Right	Coeff	Contr.	Expan.
	2192.67	2385.24		80	80	80		.1	.3

## CROSS SECTION OUTPUT Profile #PF 1

E.G. Elev (ft)	5665.59	Element	Left OB	Channel
Right OB				
Vel Head (ft)	1.80	Wt. n-Val.	0.045	0.040
0.045				
W.S. Elev (ft)	5663.80	Reach Len. (ft)		
Crit W.S. (ft)	5663.80	Flow Area (sq ft)	947.68	1233.70
12.63				
E.G. Slope (ft/ft)	0.008890	Area (sq ft)	947.68	1233.70
12.63				
Q Total (cfs)	20123.74	Flow (cfs)	5161.33	14905.16
57.25				
Top Width (ft)	603.84	Top Width (ft)	408.49	192.57
2.78				
Vel Total (ft/s)	9.17	Avg. Vel. (ft/s)	5.45	12.08

2017-252Ron.rep

4.53				
Max Chl Dpth (ft)	6.67	Hydr. Depth (ft)	2.32	6.41
4.54				
Conv. Total (cfs)	213433.4	Conv. (cfs)	54741.3	158084.9
607.2				
Length Wtd. (ft)		Wetted Per. (ft)	409.59	192.57
7.18				
Min Ch El (ft)	5657.13	Shear (lb/sq ft)	1.28	3.56
0.98				
Alpha	1.38	Stream Power (lb/ft s)	2388.02	0.00
0.00				
Frctn Loss (ft)		Cum Volume (acre-ft)		
C & E Loss (ft)		Cum SA (acres)		

SUMMARY OF MANNING'S N VALUES

River: Animas River

Reach	River Sta.	n1	n2	n3
1	80	.045	.04	.045
1	0	.045	.04	.045

SUMMARY OF REACH LENGTHS

River: Animas River


Reach	River Sta.	Left	Channel	Right
1	80	170	151	130
1	0	80	80	80

SUMMARY OF CONTRACTION AND EXPANSION COEFFICIENTS

River: Animas River

	Reach	River Sta.	2017-252 Contr.	Ron.rep Expan.
1		80	.1	.3
1		0	.1	.3

2017-252Ron Plan: Plan 03 6/5/2017  
River = Animas River Reach = 1 RS = 80



Legend	
EG PF 1	(Symbol)
WS PF 1	(Symbol)
Crit PF 1	(Symbol)
Ground	(Symbol)
Bank Sta	(Symbol)

**Subject:** OPUS solution : 7388\_0113\_112936.m00 OP1452811024422  
**From:** opus <opus@ngs.noaa.gov>  
**Date:** 1/14/2016 3:37 PM  
**To:** tojoe@sakuraeng.com

FILE: 7388\_0113\_112936.m00 OP1452811024422

NGS OPUS SOLUTION REPORT  
 =====

All computed coordinate accuracies are listed as peak-to-peak values.  
 For additional information: <http://www.ngs.noaa.gov/OPUS/about.jsp#accuracy>

USER: [tojoe@sakuraeng.com](mailto:tojoe@sakuraeng.com) DATE: January 14, 2016  
 RINEX FILE: 7388013s.16o TIME: 22:37:24 UTC

SOFTWARE: page5 1209.04 master91.pl 022814 START: 2016/01/13 18:30:00  
 EPHEMERIS: igr18793.eph [rapid] STOP: 2016/01/13 23:15:00  
 NAV FILE: brdc0130.16n OBS USED: 12059 / 14144 : 85%  
 ANT NAME: LEIGS15 NONE # FIXED AMB: 76 / 81 : 94%  
 ARP HEIGHT: 1.45 OVERALL RMS: 0.015(m)

REF FRAME: NAD\_83(2011)(EPOCH:2010.0000) IGS08 (EPOCH:2016.0352)

X:	-1578770.557(m)	0.012(m)	-1578771.396(m)	0.012(m)
Y:	-4861472.108(m)	0.020(m)	-4861470.768(m)	0.020(m)
Z:	3805147.726(m)	0.012(m)	3805147.604(m)	0.012(m)

LAT:	36 51 0.17926	0.005(m)	36 51 0.19584	0.005(m)
E LON:	252 0 31.37404	0.010(m)	252 0 31.32514	0.010(m)
W LON:	107 59 28.62596	0.010(m)	107 59 28.67486	0.010(m)
EL HGT:	1763.609(m)	0.025(m)	1762.724(m)	0.025(m)
ORTHO HGT:	1784.385(m)	0.045(m)	[NAVD88 (Computed using GEOID12B)]	

	UTM COORDINATES	STATE PLANE COORDINATES
	UTM (Zone 12)	SPC (3003 NM W)
Northing (Y) [meters]	4082464.510	648853.311
Easting (X) [meters]	768263.304	815914.068
Convergence [degrees]	1.80547145	-0.09472737
Point Scale	1.00048667	0.99991911
Combined Factor	1.00020984	0.99964244

US NATIONAL GRID DESIGNATOR: 12SYF6826382464(NAD 83)

BASE STATIONS USED

PID	DESIGNATION	LATITUDE	LONGITUDE	DISTANCE(m)
DL3585	MC10 MONTROSE CORS ARP	N382720.137	W1075242.393	178521.5
DL3642	MC09 NUCLA CORS ARP	N381435.614	W1083329.283	162577.3
DI2245	P011 SPIDERROCKAZ2005 CORS ARP	N360859.363	W1093109.175	157441.0

NEAREST NGS PUBLISHED CONTROL POINT

GN0356	E 18	N365035.	W1075833.	1581.4
--------	------	----------	-----------	--------

This position and the above vector components were computed without any knowledge by the National Geodetic Survey regarding the equipment or field operating procedures used.