

X Close this window

MSDS

Common Name: OFF! DEEP WOODS INSECT REPELLENT V

Manufacturer: S.C. JOHNSON MSDS Revision Date: 4/19/2007

Grainger I tem Number(s): 4HK65

Manufacturer Model Number(s): 94903, TW616

## **MSDS Table of Contents**

Click the desired link below to jump directly to that section in the MSDS.

SECTION 1 - PRODUCT IDENTIFICATION

**SECTION 2 - INGREDIENT INFORMATION** 

SECTION 3 - HEALTH HAZARDS IDENTIFICATION

SECTION 4 - FIRST AID MEASURES

SECTION 5 - FIRE AND EXPLOSION INFORMATION

SECTION 6 - PREVENTIVE RELEASE MEASURES

SECTION 7 - HANDLING AND STORAGE

SECTION 8 - SPECIAL PROTECTION INFORMATION

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

SECTION 10 - STABILITY AND REACTIVITY

SECTION 11 - TOXICOLOGY INFORMATION

SECTION 12 - ECOLOGICAL INFORMATION

SECTION 13 - DISPOSAL CONSIDERATIONS

SECTION 14 - TRANSPORTATION INFORMATION

**SECTION 15 - REGULATORY INFORMATION** 

SECTION 16 - OTHER INFORMATION

MATERIAL SAFETY DATA SHEET

MSDS #: 127548001

OFF!(R\*) DEEP WOODS(R\*) INSECT REPELLENT V

DATE ISSUED: 19 APR 2007

SUPERSEDES: 24 NOV 2004

US MANUFACTURER:

S.C. JOHNSON &. SON, INC. RACINE, WISCONSIN 53403-2236

PHONE: (800) 725-6737

EMERGENCY PHONE: (866) 231-5406

INTERNATIONAL EMERGENCY PHONE: (952) 852-4647

CANADIAN MANUFACTURER:

S.C. JOHNSON AND SON, LIMITED

1 WEBSTER STREET

BRANTFORD, ONTARIO N3T 5R1

PHONE: (800) 725-6737

TRANSPORTATION EMERGENCY:

CANUTEC (COLLECT): (613) 996-6666

POISON CONTROL: (866) 231-5406

DISTRIBUTED IN CANADA BY: S.C. JOHNSON AND SON, LIMITED

1 WEBSTER STREET

BRANTFORD, ONTARIO N3T 5R1

PHONE: (800) 725-6737

HAZARD HMIS NFPA HEALTH 2 2 FLAMMABILITY 4 4 REACTIVITY 0 0 0 SPECIAL

HAZARD RATING:

4-VERY HIGH

3-HIGH

2-MODERATE

1-SLIGHT

0-INSIGNIFICANT

## **SECTION 1 - PRODUCT IDENTIFICATION**

A top

PRODUCT NAME: OFF!(R\*) DEEP WOODS(R\*) INSECT REPELLENT V

REASON FOR CHANGE:

SECTION 2. SECTION 3. SECTION 4. SECTION 7. SECTION 8. SECTION 13.

PRODUCT USE: INSECT REPELLENT

# **SECTION 2 - INGREDIENT INFORMATION**



INGREDIENT	WEIGHTS	EXPOSURE LIMIT/TOXICITY
BUTANE (CAS# 106-97-8)	1-5	800 PPM ACGIH/OSHA TWA
PROPANE (CAS# 74-98-6)	1-5	1000 PPM OSHA PEL 2500 PPM ACGIH TWA
ISOBUTANE (CAS# 75-28-5)	1-5	NOT ESTABLISHED
WATER (CAS# 7732-18-5)	7-13	NOT ESTABLISHED
DEET (CAS# 134-62-3)	25	NOT ESTABLISHED LD50: 1950 MG/KG (ORAL-RAT) 3,180 MG/KG (DERMAL-RABBIT)
ETHYL ALCOHOL (CAS# 64-17-5)	50-60	1000 PPM ACGIH/OSHA TWA LD50: 7,060 MG/KG (ORAL-RAT)

# **SECTION 3 - HEALTH HAZARDS IDENTIFICATION**



(ALSO SEE SECTION 11)

ROUTE(S) OF ENTRY: EYE CONTACT. SKIN CONTACT. INGESTION. INHALATION.

EFFECTS OF ACUTE EXPOSURE:

EYE:

MAY CAUSE: MODERATE EYE IRRITATION.

SKIN: MAY CAUSE SKIN REACTIONS IN RARE CASES.

MOTTALIATION

PROLONGED OR REPEATED CONTACT MAY CAUSE: CENTRAL NERVOUS SYSTEM DEPRESSION.

INGESTION:

MAY BE: HARMFUL IF SWALLOWED.

MAY CAUSE: ABDOMINAL DISCOMFORT. CENTRAL NERVOUS SYSTEM DEPRESSION.

MEDICAL CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE: PERSONS WITH PRE-EXISTING SKIN DISORDERS MAY BE MORE SUSCEPTIBLE TO IRRITATING EFFECTS.

### **SECTION 4 - FIRST AID MEASURES**

A top

EYE CONTACT:

FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 TO 20 MINUTES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.

SKIN CONTACT:

WASH CONTAMINATED AREA WITH WATER AND SOAP. IF IRRITATION DEVELOPS, GET MEDICAL ATTENTION.

INHALATION:

REMOVE TO FRESH AIR. IF BREATHING IS AFFECTED, GET MEDICAL ATTENTION.

INGESTION:

DO NOT INDUCE VOMITING!

IMMEDIATELY DRINK 1-2 GLASSES OF WATER. DO NOT ADMINISTER ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET MEDICAL ATTENTION IMMEDIATELY.

## **SECTION 5 - FIRE AND EXPLOSION INFORMATION**

A top

FLASH POINT: <20 DEG. C (<68 DEG. F) (TCC)

FLAMMABLE LIMITS: NOT AVAILABLE.

AUTOIGNITION TEMPERATURE: NOT AVAILABLE.

EXTINGUISHING MEDIA: FOAM. CO2. DRY CHEMICAL. WATER FOG.

SPECIAL FIREFIGHTING PROCEDURES:

FIGHT FIRE FROM MAXIMUM DISTANCE OR PROTECTED AREA. COOL AND USE CAUTION WHEN APPROACHING OR HANDLING FIRE-EXPOSED CONTAINERS.

FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

AEROSOL PRODUCT - CONTAINERS MAY ROCKET OR EXPLODE IN HEAT OF FIRE.

# **SECTION 6 - PREVENTIVE RELEASE MEASURES**

A top

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: ELIMINATE ALL IGNITION SOURCES. ABSORB WITH OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP AND CONTAINERIZE. RINSE AFFECTED AREA THOROUGHLY WITH WATER.

## **SECTION 7 - HANDLING AND STORAGE**

A top

#### PRECAUTIONARY INFORMATION:

#### WARNING:

CAUSES EYE IRRITATION. MAY BE HARMFUL IF SWALLOWED. AVOID CONTACT WITH EYES AND LIPS.

#### FT.AMMART.E:

KEEP AWAY FROM HEAT, SPARKS AND FLAME. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE. EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING. KEEP OUT OF REACH OF CHILDREN.

OTHER HANDLING AND STORAGE CONDITIONS:

STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. OBSERVE GOOD PERSONAL HYGIENE PRACTICES.

### **SECTION 8 - SPECIAL PROTECTION INFORMATION**



### RESPIRATORY PROTECTION:

NO SPECIAL REQUIREMENTS UNDER NORMAL USE CONDITIONS. IF MISTS/VAPORS ARE NOT ADEQUATELY CONTROLLED BY VENTILATION, USE APPROPRIATE RESPIRATORY PROTECTION TO PREVENT OVEREXPOSURE.

### VENTILATION:

GENERAL ROOM VENTILATION IS NORMALLY ADEQUATE. SUBSTANTIAL AMOUNTS OF MISTS/VAPORS CAN BE CONTROLLED WITH LOCAL EXHAUST VENTILATION OR RESPIRATORY PROTECTION.

PROTECTIVE GLOVES: NO SPECIAL REQUIREMENTS UNDER NORMAL USE CONDITIONS.

EYE PROTECTION: NO SPECIAL REQUIREMENTS UNDER NORMAL USE CONDITIONS.

OTHER PROTECTIVE MEASURES: NO SPECIAL REQUIREMENTS.

## **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**



COLOR: CLEAR

PRODUCT STATE: DISPENSED AS A SPRAY MIST.

ODOR: ALCOHOL

pH: NOT AVAILABLE.

ODOR THRESHOLD: NOT AVAILABLE.

SOLUBILITY IN WATER: SLIGHT.

SPECIFIC GRAVITY (H2O=1): 0.84

VAPOR DENSITY (AIR=1): NOT AVAILABLE.

EVAPORATION RATE (BUTYL ACETATE=1): NOT AVAILABLE.

VAPOR PRESSURE (MMHG): NOT AVAILABLE.

BOILING POINT: NOT AVAILABLE.

FREEZING POINT: NOT AVAILABLE.

COEFFICIENT OF WATER/OIL: NOT AVAILABLE.

PERCENT VOLATILE BY VOLUME (%): NOT AVAILABLE.

VOLATILE ORGANIC COMPOUND (VOC): NOT AVAILABLE.

THEORETICAL VOC (LB/GAL): NOT AVAILABLE.

## **SECTION 10 - STABILITY AND REACTIVITY**

A top

STABILITY: STABLE

STABILITY - CONDITIONS TO AVOID: EXCESSIVE HEAT.

INCOMPATIBILITY:

AVOID CONTACT WITH:

RUBBER. PLASTIC. STRONG OXIDIZING MATERIALS (E.G. LIQUID CHLORINE).

HAZARDOUS DECOMPOSITION PRODUCTS: PRODUCES NORMAL PRODUCTS OF COMBUSTION.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

HAZARDOUS POLYMERIZATION CONDITIONS TO AVOID: NOT APPLICABLE

## **SECTION 11 - TOXICOLOGY INFORMATION**

A top

(ALSO SEE SECTION 3)

LD50 (ACUTE ORAL TOX): NOT AVAILABLE.

LD50 (ACUTE DERMAL TOX): NOT AVAILABLE.

LC50 (ACUTE INHALATION TOX): NOT AVAILABLE.

EFFECTS OF CHRONIC EXPOSURE: NONE KNOWN.

SENSITIZATION: NONE KNOWN.

CARCINOGENICITY: NONE KNOWN.

REPRODUCTIVE TOXICITY: NONE KNOWN.

TERATOGENICITY: NONE KNOWN.

MUTAGENICITY: NONE KNOWN.

## **SECTION 12 - ECOLOGICAL INFORMATION**

A top

ENVIRONMENTAL DATA: NOT AVAILABLE.

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

A top

WASTE DISPOSAL INFORMATION:
PESTICIDAL WASTE - OBSERVE ALL APPLICABLE FEDERAL/PROVINCIAL/STATE
REGULATIONS AND LOCAL/MUNICIPAL ORDINANCES REGARDING DISPOSAL OF PESTICIDE
WASTES.

## **SECTION 14 - TRANSPORTATION INFORMATION**

A top

US DOT INFORMATION:

PLEASE REFER TO THE BILL OF LADING/RECEIVING DOCUMENTS FOR UP-TO-DATE

SHIPPING INFORMATION.

CANADIAN SHIPPING NAME: OFF!(R\*) DEEP WOODS(R\*) INSECT REPELLENT V

TDG CLASSIFICATION: NOT APPLICABLE.

PIN/NIP: NOT APPLICABLE.

PACKING GROUP: NOT APPLICABLE.

EXEMPTION NAME: CONSUMER COMMODITY

## **SECTION 15 - REGULATORY INFORMATION**

A top

WHMIS CLASSIFICATION: NOT APPLICABLE.

ALL INGREDIENTS OF THIS PRODUCT ARE LISTED OR ARE EXCLUDED FROM LISTING ON THE U.S. TOXIC SUBSTANCES CONTROL ACT (TSCA) CHEMICAL SUBSTANCE INVENTORY.

ALL INGREDIENTS IN THIS PRODUCT COMPLY WITH THE NEW SUBSTANCES NOTIFICATION REQUIREMENTS UNDER THE CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA).

THIS PRODUCT IS NOT SUBJECT TO THE REPORTING REQUIREMENTS UNDER CALIFORNIA'S PROPOSITION 65.

### **SECTION 16 - OTHER INFORMATION**



ADDITIONAL INFORMATION: USE AS DIRECTED. NFPA 30B LEVEL 2 AEROSOL.

EPA REGISTRATION #: 4822-167

PREPARATION INFORMATION:

PREPARED BY:

MANUFACTURER'S TECHNICAL SUPPORT DEPARTMENT. REFER TO THE BEGINNING OF THIS MSDS (MANUFACTURER) FOR CONTACT INFORMATION.

THIS DOCUMENT HAS BEEN PREPARED USING DATA FROM SOURCES CONSIDERED TECHNICALLY RELIABLE. IT DOES NOT CONSTITUTE A WARRANTY, EXPRESS OR IMPLIED, AS TO THE ACCURACY OF THE INFORMATION CONTAINED HEREIN. ACTUAL CONDITIONS OF USE AND HANDLING ARE BEYOND SELLER'S CONTROL. USER IS RESPONSIBLE TO EVALUATE ALL AVAILABLE INFORMATION WHEN USING PRODUCT FOR ANY PARTICULAR USE AND TO COMPLY WITH ALL FEDERAL, STATE, PROVINCIAL AND LOCAL LAWS AND REGULATIONS.

PRINT DATE: 07 JUN 2007