



MSDS

Close this window

Common Name: PREMIERE ICE MELTER

Manufacturer: CP INDUSTRIES

MSDS Revision Date: 1/3/2006

Grainger Item Number(s): 4W973, 4W974

**Manufacturer Model
Number(s):**

MSDS Table of Contents

Click the desired link below to jump directly to that section in the MSDS.

- [HAZARDOUS INGREDIENTS](#)
- [PHYSICAL/CHEMICAL CHARACTERISTICS](#)
- [ACTIVITY DATA](#)
- [HEALTH HAZARD DATA](#)
- [FIRST AID PROCEDURES](#)
- [SPILL OR LEAK PROCEDURES](#)
- [WASTE DISPOSAL METHODS](#)
- [PROTECTIVE EQUIPMENT TO BE USED](#)
- [SPECIAL PRECAUTIONS OR OTHER COMMENTS](#)

CP INDUSTRIES

CP INDUSTRIES
 560 NORTH 500 WEST
 SALT LAKE CITY, UTAH 84116
 (801) 521-0313
 (800) 453-4931
 (801) 539-0510 FAX

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: PREMIERE ICE MELTER

DATE PREPARED: JANUARY 3, 2006

HAZARDOUS INGREDIENTS

NO SUBSTANCES DEFINED AS HAZARDOUS PRESENT.

top

OTHER INGREDIENTS:

SODIUM CHLORIDE	CAS 7647-14-5
CALCIUM MAGNESIUM ACETATE (CMA)	CAS 76123-46-1
SODIUM SILICATES	CAS 6834-92-0
ETHANOL AMINES	CAS 102-71-6

PHYSICAL/CHEMICAL CHARACTERISTICS[^ top](#)

SOLUBILITY IN WATER: SOLUBLE

APPEARANCE AND ODOR: BLUE CRYSTALLINE SOLID

REACTIVITY DATA[^ top](#)

HAZARDOUS POLYMERIZATION: CANNOT OCCUR

STABILITY: STABLE

INCOMPATIBILITY: AVOID CONTACT WITH STRONG OXIDIZING AGENTS.

HEALTH HAZARD DATA[^ top](#)

EYE IRRITANT. MAY IRRITATE SKIN. MAY BE HARMFUL IF SWALLOWED, ESPECIALLY IN LARGE AMOUNTS. INGESTION OF SMALL AMOUNTS MAY BE IRRITATING BECAUSE OF PRESENCE OF A SMALL AMOUNT OF ALKALINE SALTS.

FIRST AID PROCEDURES[^ top](#)

EYES:
FLUSH WITH WATER. IF IRRITATION OR REDNESS ARE SEVERE OR PERSIST, CONSULT PHYSICIAN.

SKIN: WASH OFF WITH WATER.

INGESTION: DRINK LIQUIDS TO DILUTE AND CONSULT A PHYSICIAN.

SPILL OR LEAK PROCEDURES[^ top](#)

SMALL SPILLS: MAY BE FLUSHED AWAY WITH WATER OR SWEEPED UP.

LARGE SPILLS: SWEEP OR SCOOP UP FOR REUSE OR DISPOSAL.

[top](#)

WASTE DISPOSAL METHODS

SMALL SPILLS: MAY BE SEWERED.

LARGE SPILLS: SHOULD BE DISPOSED OF IN LANDFILL ACCORDING TO REGULATIONS.

[top](#)

PROTECTIVE EQUIPMENT TO BE USED

EYE PROTECTION:

WEAR CHEMICAL SAFETY GOGGLES TO PREVENT EYE CONTACT. HAVE EYE BATHS IMMEDIATELY AVAILABLE WHERE EYE CONTACT CAN OCCUR.

SKIN PROTECTION:

WEAR APPROPRIATE IMPERVIOUS GLOVES AND PROTECTIVE CLOTHING TO PREVENT SKIN CONTACT.

RESPIRATORY PROTECTION:

USE OSHA APPROVED EQUIPMENT WITH FULL FACE PIECE WHEN AIRBORNE EXPOSURE LIMITS ARE EXCEEDED.

VENTILATION:

PROVIDE VENTILATION TO MINIMIZE EXPOSURE. LOCAL EXHAUST VENTILATION PREFERRED.

[top](#)

SPECIAL PRECAUTIONS OR OTHER COMMENTS

CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN EMPTIED SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUES (VAPOR, LIQUID AND/OR SOLID). ALL HAZARD PRECAUTIONS GIVEN IN THE DATA SHEET MUST BE OBSERVED.

NOTE:

THE INFORMATION HEREIN IS BELIEVED TO BE EFFICACIOUS AND ACCURATE; HOWEVER, NO WARRANTY IS MADE WITH RESPECT THERETO. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED THAT THE INFORMATION IS CURRENT, APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.

PREPARED TO COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD
(29 CFR 1910.1200)